

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Christopher A. Rygaard Art Unit : 2435
Patent No. : 7,735,134 Examiner : Randal D. Moran
Issue Date : June 8, 2010 Conf. No. : 7560
Serial No. : 10/686,886
Filed : October 15, 2003
Title : JUMPING APPLICATION SECURITY SYSTEM

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

LETTER REGARDING PATENT TERM ADJUSTMENT

The Patent Term Adjustment (PTA) calculation included in the Issue Notification mailed May 19, 2010, for the above-referenced application indicates the PTA is 1,105 days. This PTA appears to be longer than appropriate.

In good faith and candor, Patentee directs the Office's attention to an Information Disclosure Statement filed in May 2009, for which no Applicant Delay was assessed.

Patentee believes that no fee is due at this time. Any fees that may be due, however, may be applied to Deposit Account No. 06-1050.

Respectfully submitted,

Date: August 5, 2010

/Brian J. Gustafson/

Brian J. Gustafson
Reg. No. 52,978

Fish & Richardson P.C.
PTO Customer No. 26181
Telephone: (650) 839-5070
Facsimile: (877) 769-7945

60652827.doc

CERTIFICATE OF MAILING BY EFS-WEB FILING

I hereby certify that this paper was filed with the Patent and Trademark Office using the EFS-WEB system on this date: August 5, 2010.